



RT830A is RTscan's new generation OEM 2D hand-free omnidirectional bar code scanner in 2017. With fixed mount and housing design, it is suitable for both desktop and embedded use. It is outstanding for its high speed motion tolerance (Up to 25in. (63.5cm) per second) and capacity to decode almost all types of bar codes, including Aztec, MaxiCode, QR, Data Matrix, PDF417, EAN code, etc. It has been optimized for reading bar codes from mobile phone.

Support presentation mode which detects and reads bar code automatically with USB-HID, USB-Virtual Com and RS232 interfaces.



- Hand-free and omnidirectional
- Large field of view
- High-speed motion tolerance
- Detect and read bar code automatically
- Can read from LCD screen and paper
- Can read bar code on phone screen even the screen in low brightness
- Support most 1D and 2D bar codes, like Aztec, QR, PDF417, DataMatrix codes
- Suitable for mobile phone payment/ e-ticket barcode read/e-coupon barcode read
- USB/RS232 Interface



Mechanical

Dimensions (LxWxH) 67mm x 67mm x 35mm

Weight 145.5 g

Electrical

Voltage 5 VDC±10% Operating current 220mA

Light Source illumination: 6500K LED

Host System Interfaces USB HID-KBW, USB virtual COM, RS232

Environmental

Operating Temperature $0^{\circ}\text{C to }50^{\circ}\text{C}$ Storage Temperature $-40^{\circ}\text{C to }70^{\circ}\text{C}$

Humidity 0% to 95% relative humidity, non-condensing

Drop withstand 1.0 m drops to concrete on each of the faces

Ambient Light 0 to 100,000 lux

Scan Performance

Scan Pattern Area Imager

Optical Resolution CMOS 752*480 pixels
Scan Angle Omnidirectional

Symbol Contrast

20% minimum reflectance difference
Scan Angle

Roll: 360°, Pitch: ±65°, Skew: ±50°
Field of View

Horizontal 115°, Vertical 90°

Decode Capability 2D: QR Code, Micro QR, Aztec, PDF417, Micro PDF417, Data Matrix,

Maxicode, etc

1D: Code 128, EAN-13, EAN-8, Code39, etc.

Typical Depth of Field

5mil 0mm-10mm 13mil 0mm-30mm





